



# Quality<sup>TM</sup>

ENVIRO ENGINEERS (P) LTD.

An ISO 9001 : 2015 Certified Company  
Manufacturer of : Solid, Liquid Waste Handling Equipments



- Super Sucker Machine / Dump Tanks
- Sewer Suction Cum Jetting Machine / Sewer Suction Machine
- Nala Cleaning Machine
- Hydraulic Platform / Sky Lift
- Refuse Collector / Compactor
- Dumper Placer
- Hook Loader / Bin Lifter
- Water Tanker / Fogging Machine
- Bins / Dustbins / Hand Cart / Garbage Rickshaw
- Mobile Toilets / Urinal

## GEAR UP TO CLEAN UP



[www.qualityenviroengineers.in](http://www.qualityenviroengineers.in)

The objective of **CLEANING**  
is not just to clean but to feel happiness  
living within that **Environment.**



**GeM**  
Government  
e Marketplace

**buy our products on GEM portal**

# About us

Having a 6 years of hard core marketing experience for selling industrial and commercial cleaning machines as well as waste handling equipments. We name of "Quality Enviro Engineers Pvt. Ltd" Always strives for providing the best solution for the need of the clients and are always ready to take the new challenges. Now company is marketing all its products under its popular brand "Quality Enviro Engineers Pvt. Ltd". Company owns the state of the art infrastructure which helps the company for supplying the quality range of products.



## Managing Director Message

The key to success of a smarter world lies in both environmentally and socially upgrading our surroundings. It is inevitable and important to be responsible for today and the generations to come **Quality Enviro Engineers Pvt. Ltd.** We believe that sustainable development is the key to success and we have aligned ourselves to this mission. In the changed economic scenario, we are constantly reviewing the business models to create a robust system that will be resilient enough to say above the economic tides. Our clients include many esteemed government & semi-government departments, provided with the best of our services.

We take pride in our work culture to tread the path of sustainable growth across sectors.

**Ashwani Srivastava**

### UTILITY VEHICLES

- Sky Lifts or Hydraulic Ladders
- Mobile Toilets
- Animal Catcher
- Road Sweeping Machine
- Water Tankers
- Wheel Barrows
- Hook Loader etc.





# AUTO COLLECTOR / TIPPERS / CLOSE TIPPERS

Auto collector is a unique innovation to facilitate door to door collection of garbage and its proper disposal.

## SALIENT FEATURES

- This equipments can dump the garbage on the ground, as well as director into a collector and also in the refuse collector
- The capacity of the auto remover is 1.0 cubic meters volumetric capacity hopper.
- The dumping height from the ground is 1000mm / 1200mm.
- It facilities faster operation.

## ADVANTAGES

- This number of trips can be increased .
- It is totally hygienic and thus, much safer
- It can easily move in narrow lanes
- It provides company covered transportation
- Multiple handling is not required.
- The segregation of garbage can take place at the source i.e dry/wet, organic /inorganic.

## APPLICATION

- Small townships, city councils and big factories
- Direct emptying into container or into refuse collection.



## Specification

Capacity	: 1.2/2/4m <sup>3</sup>
Bottom	: 14 GMS Sheet
Side / Top	: 16 GMS Sheet
Door	: 18 GMS Sheet
Tailgate	: Hinged Type With Locking Arrangement

## Features

- One system can easily handle lifting, shifting and dumping 10/12 containers during working hours.
- It facilities in safe and hygienic collection, storage and large volume of garbage transportation with fast operation.



QEECTP - 4 M<sup>3</sup>



QEEHTP - 1.8 M<sup>3</sup>



QEETP - 1.2 M<sup>3</sup>

# REFUSE COMPACTOR / UNDERGROUND BINS

- Refuse compactors are heavy capacity of garbage loaders in its product range which is used for storing the large amount of waste as well as compact the same in a effective manner, also use for lifting or unloading the bins directly into its rear hopper.
- They are being manufactured with high strength, reliability, superior quality, easy operation & utilization for its end use.

Model : QEEPAC - 14M<sup>3</sup>



Model QEEUB-2.2 M<sup>3</sup>



Model : QEEPAC - 18M<sup>3</sup>

## ADVANTAGES

- Refuse compactors are highly productive, easy operational and hygienic system to help in keeping a city clean.
- Provision for carrying garbage containers of different sizes by hydraulically arrangement according to change in its rear situated arm size & diameter.
- The tailgate & ejector system can dump all garbage in as ingle stroke by hydraulic operated cylinder & control lever that is helpful to minimize time for unloading of garbage and also less human efforts.
- The packer system that is sliding on upper plate will squeeze the garbage directly from hopper to body automatically by lever
- It is very good option for handling of large amount of waste in its range of products & also done the compacting of garbage so we can load heavy garbage in very less amount. Suitable for all municipalities, dumping yards as well as private industries.

## Technical Data

Code	QEE - TPAC
Chassis	9 Ton, 12 Ton, 16 Ton or Customized 7 Cum, 9 Cum, 14 Cum or (Customized)
Body Size	(IS:2062)
Thickness	3 mm, 4 mm, 5mm ,6mm) Etc.
Lifting Size (cum)	(1.1) (1.8) / UBL Etc.
Hydraulic Cylinder	Make DENTAL / QEEPL
Hydraulic Pump	High Pressure / Vane Pump Upto LPM
Hydraulic Hoses	Hoses upto ¾"
Power Take Off	Suitable Power Transfer from vehicle's PTO
Hydraulic Tank	110-200 Ltrs. capacity
Operational	Hydraulic operations for Ejector Plate, Packer Plate, Sliding Plate, Tailgate, Lifting of container & Bin arrangement done by heavy duty Hydraulic operated Cylinder & control lever.



# DUMPER PLACER

- Dumper placer is also known as skip loader which is used for carrying the different size of garbage containers or bins from one place to another. These are being manufactured with high strength, reliability, superior quality & utilization for its end use.
- Upholstery cleaner, carpet cleaning machines, foam generator machine, carpet blower, steam cleaner.

Model : QEETBDP - 6 M<sup>3</sup>



Model : QEEDP - 4.5 M<sup>3</sup>



Model : QEEDP - 2 M<sup>3</sup>



## ADVANTAGES

- Carrying waste material containers of different sizes.
- It is a unique, highly productive, easy operational and low maintenance, hygienic system to help in keeping a city clean.
- Better waste handling equipment vehicle in its range of products.
- Heavy duty cylinders to carry heavy containers safely in very less time.
- Optimum loading & through heavy duty unloading hydraulic ability hoses, pumping system and safety devices like load holding valve, pressure & safety valve etc.
- Hydraulically arrangement for lifting system with the help of control lever for minimize the human efforts & time.
- Arrangement for stabilizing of vehicle with stabilizers for better strength & rigidity at the same time of heavy operation.
- Suitable for municipalities, building developments as well as individual.

Code	QEEDP-02, 2 Ton, 6 Ton, 7 Ton, 9 Ton,
Chassis	12 Ton, 16 Ton or can be Customized Mild
Sheet Material	Steel (IS:2062)
Thickness	3 mm (4,5,6) Etc
Lifting Capacity (Cum)	(2.5) (3.5) (4.5) (6.5) Etc, 2/4 Nos. for Container Lifting & Customize size
Hydraulic Cylinder	2 Nos. for Stabilizers (Customized) 30-80 LPM
Hydraulic Pump	Gear Pump / Vane Pump 40-80 LPM
Hydraulic Hoses	High Pressure Hoses
Power Take off	Suitable Power Transfer from vehicle PTO.
Hydraulic Tank	40-80 Ltrs. or Customize According to Capacity
Lifting System	Hydraulic operated Cylinder & Control Lever.

# HOOK - LOADER PORTABLE COMPACTOR / BINS LIFTER

Model : QEEHL - 14M<sup>3</sup>



Model : QEEHL - 8M<sup>3</sup>



Model : QEEPC - 14M<sup>3</sup>



## ADVANTAGES

Containers of 14 to 20 Cubic Meters are Placed at Different Fixed Transfer Stations. Garbage is Collected Throughout The City With The Help of Light Vehicles Such as Small Capacity Tippers, Dumper Placers Etc. This Garbage Is Transferred to These Bigger Containers. Hook-loader Lifts These Containers and Carriers to Garbage Dumping Ground For Emptying.

## APPLICATIONS

- One System Can Easily Handle Lifting, Shifting and Dumping 10/12 Containers During Working Hours.
- It Facilitates Safe and Hygienic Collection, Storage and Large Volume of Garbage Transportation With Fast Operation.

## Technical Data

Code	QEEHL
Chassis	12-25 Ton or Customized
Booms	Heavy Duty Booms of CRC/Eq. Sheets
Arrangement	Hydraulic Cylinder of High Load Capacity, Hydraulic Pump & Others Efficient Controlling Systems to Easy Lifting of Big Size Containers From One Place to Other.



# ROAD & STREET SWEEPERS

**Quality**  
enviro engineers pvt. ltd.

Our range of products include Road Sweeping Machine such as Mechanical Sweeping Machine, Tractor Attach Road Sweeping Machine and Truck Mounted Road Sweeping Machine.

Model : QEESWEEP - 6.5M<sup>3</sup>



Model : QEESWEEP - 4M<sup>3</sup>



Model : QEESWEEP - 0.3 5M<sup>3</sup>



## ADVANTAGES

- Road sweeping machine. The provided machine is manufactured using premium quality material and latest techniques.
- Adhere to industry standards and quality norms.
- The offered machine is examined on the set quality parameters to give quality products.

Code	QEESWEEP-14
Chassis	2.5 Ton –16 Ton or Customized
Body Size	1.1 M <sup>3</sup> - 6.5 M <sup>3</sup> or Customized
Auxiliary Engine	Make –Kirloskar (49-105 HP Capacity)
Water Tank	300-600 Ltrs. or Customized
Blower Capacity	600-15000 M <sup>3</sup> /Hr. or depend M <sup>3</sup>
Arrangement	2 nos. of side brush & 1 nos. of centre brushing for cleaning the road by help of Engine, hydraulic pump, motor, cylinder & others controlling systems.

Technical Data



# SUPER SUCKER / SUCTION CUM JETTING UNITS

The Quality Enviro Engineers Pvt. Ltd. Super Sucker Machine is designed with the latest technology and Manufactured with strictest adherence to the highest international standard as well as Indian standard. These Super Sucker Machines are used for de-silting / de-checking sewer lines and are capable of performing the all function.

Model : QEEHF - 6LCH



Model : QEEHF - 8LCH



Model : QEERSSJM - 10LCH

## ADVANTAGES

- Equipment filled with a high flow continuous rating vacuum blower.
- This machine can carry out both the operations of suction as well as jetting.
- The operation is the same as that of individual high pressure jetting machine and individual suction machine with blow operation i.e. of Muljet and Gully Man.

## Technical Data

Code	QEEHF / QEERSSJM
Chassis	16 Ton, 25 Ton Etc.
Tank Size	5000-20000 liters or Customized tanks
Sheet Material	Mild Steel (IS:2062), SS-304 / CRCA Sheet/ Eq.
Thick ness	6 mm, 8 mm or as per requirement
Blower	Make –Kay International / Swam / Eq. (4600 m3/hr or Required Capacity)
Jetting Pump	Make –Wasp / Pressure Jet/ Eq.
Hoses	( 290 LPM @ 180 Bar or Required Capacity) Suction Hose ( Upto 150 NB & 30 Mtrs)
Drive	Suitable Power Transfer from Vehicle PTO. or an Auxiliary Engine
Gear	VAS / Eq. With upto 400 kgm capacity
Power Take Off	Vas/eq. With Upto 400 kgm Capacity Suitable Power Transfer Ratio to Drive Pumps
Hydraulic Pump	2 nos. each for Tipping & Door opening 40-80 LPM
Suitability	Required Capacity) Municipalities, Building Developments as well as Heavy Cleaning Operations as required.



# SEWER SUCTION / SUCTION CUM JETTING MACHINES

- Sewer Suction cum jetting machine is used for cleaning of sewer lines by sucking out the dirt from chamber into its tank as well as clear the blockage / choke of sewer lines by high capacity jetting throw of water.
- We are being manufactured with high capacity split tanks, jetting pump, vacuum pump & others with highly reliability, superior Quality.

**Model : QEESJM - 4LCH**



**Model : QEESJM - 8LCH**



**Model : QEEVAC - 3LT**



## ADVANTAGES

- Suction Machine is used for cleaning of sewer lines by sucking out the dirt /dust/garbage /other impurities directly from chamber in to its vacuum tank.
- Jetting Machine is used to clear the blockage / sewer lines by high capacity jet throw of liquid that is store in its fresh water tank.
- It's easy operations, low maintenance & high capacity Suction-jetting System helps in superior cleaning of sewer lines with high productivity & in very less time.
- Provision for manufacturing Suction and vacuum tank separately or combined on single vehicle.

<b>Code</b>	QEES - M/SJM/SSJM
<b>Chassis</b>	7 Ton, 9 Ton, 12 Ton, 16 Ton, 25 Ton/trailer or Custmize etc.
<b>Tank Size</b>	4000 Ltrs, 6000 Ltrs, (8-20 KI or Customized Tanks)
<b>Sheet Material</b>	Mild Steel (IS : 2062)
<b>Thickness</b>	5 Mm, 6 Mm or as Per Requirement
<b>Vacuum Pump</b>	M/s Jurop, Italy / Battioni Pagani Italy / Eq. (5000 LPM –13000 LPM Capacity)
<b>Jetting Pump</b>	M/s Pratissoli, Italy / Equivalent Make ( 70 –260 LPM) / (90 –150 Bar) Capacity Suction
<b>Hoses</b>	Hose Heavy Duty (upto 5" & 15 Mtrs) Jetting House High Pressure (upto 1½" & 60mtrs) Washing Hose With Gun (½" & 10mtrs) Optional
<b>Power Take Off</b>	Vas/eq. With Upto 400 kgm Capacity Suitable Power Transfer Ratio to Drive Pumps
<b>Hydraulic Cylinder</b>	1 Nos. For Tank Tipping & 2 Nos. For Door Opening
<b>Hydraulic Pump</b>	Gear Pump (40-80 LPM)
<b>Hydraulic Motor</b>	60-160 CC



# NALA CLEANING / DESILTING MACHINE

We are Manufacturing highly productive Nala Cleaning Machine that are used to providing the cleaning facility of open Nala & other waste yard. We are Manufactured with high Quality Materials, reliability, superior hydraulic system & utilization for its end use.

- One System can easily handle Lifting, Shifting & Dumping during working hours.
- It facilitates safe and hygienic collection, storage and larger volume garbage transportation.
- Fast Operation.

Model : QEESCOOP - 3LT



Model : QEESCOOP - 0.5LC



Model : QEESCOOP - 200LC



Model : QEESCOOP - 200LC  
Manhole Desilting Machine



## ADVANTAGES

This Machine is made available in various sizes and shapes. Clients can opt for different dimensions according to the specific business need. Machine offered by us has gained high appreciation among our clients.

### Technical Data

Code	QEESCOOP - LC / LT
Chassis	Tractor Trailer mounted or Customized.
Body Size	Rectangle with 3Cum,4Cum,5CumEtc.
Sheet Material	Mild Steel Sheets IS 2062 Grade - A Etc.
Thickness	2 mm, 2.5 mm, 3 mm, 5 mm or can be Customized as per requirement.
Hyd. Cylinder	2 Nos. for Booms, 1 Nos. For Bucket , 2 Nos. For Stabilizers or can be Customized.
Axle & Wheels	Heavy Duty Rigid Axle with 1 Nos. of 2 nos. Wheel
Hydraulic Pump	40-80 LPM
Hydraulic Pipes	High Pressure Hoses or Pipelines Provides
PTO Gear Box	Suitable Power to drive system
Arrangement	Fully Hydraulic system provides the optimum cleaning of Nala and Dump yard by help of Hydraulic system operated by Control Valves to minimize the Human efforts & wastes. Highly Suitable for Municipalities for Solid & Liquid waste handling.



# SKY LIFT / HYDRAULICS ACCESS PLATFORM

**Quality**  
ENVIRO ENGINEERS (P) LTD.

- Sky lift is an also known as automatic lifting machine for maintenance purposes in different sections such as municipalities works, Highways, Building Glass Cleaning & Constructions etc.
- We are being manufactured with High Strength, Reliability, Superior Quality & Better utilization for its end use.

Model : QEESL - 11 MCM



Model : QEESL - 13 MCM



Model : QEESL - 7-9 MCM



## ADVANTAGES

- It's unique, easy operational, low maintenance & full Proof system helps in keeping all operations safe.
- Safe load Handling capacity upto 250 Kg of FRP Bucket & Insulation of cage to minimize the accident and make the operation easy.
- Heavy duty cylinders to carry bucket that is attached with Booms on a required height safely in very less time.
- Optimum Lifting & Lowering ability through heavy duty hydraulic cylinders, hoses, Motor, Pump and safety devices like loading valve, pressure valve etc.
- Hydraulically arrangement for system with the help of Control level for minimize the lifting time.
- Arrangement for stabilizer of vehicle for better Strength at the time of operation.

Code	QEESL
Chassis	TATA / LAYLAND / EICHER / MAHINDAR etc.
Size Available	7 Mtr, 9 Mtr, 11 Mtr, 14 Mtr, 16 Mtr Or Customized.
Sheet Material	Mild Steel IS:2062 Grade-A
Thickness	3mm 4mm 5mm 6mm etc.
Bucket	600 / 1100 Volts Insulated Material With Single Person Or Two Person.
Hydraulic Cylinder	Dental / Hitech / QEEPL
Hydraulic Pump	20-80 LPM Gear Pump / Vane Pump
Hydraulic Motor	50-200 CC High Pressure Hoses
Hydraulic Hoses	ISO Reputed Make
Power Take Off	Suitable Power Transfer Ratio From Gear Box to Drive Shaft
Hydraulic Tank	20 to 80 Litres
Slewing	360°

Technical Data

# PORTABLE TOILET / URINAL / MULTI STREET / BUNK HOUSE

- We Are Manufacturing A Wide Range of Fully Furnished Mobile Portable Toilets & Bio Toilets as per DRDO Norms That are Used to Providing The Public Facilities At Mega Fairs, Public Festivals, Exhibitions & Municipalities Use Etc.
- we are Being Manufactured With High Quality Materials, Reliability, Superior Finishing & Utilization Use.

Model : QEEPTSS - 1STD



Model : QEEPT - 1STO



Model : QEEPT - 1STLLDPE



Model : QEEPTSS-Portable Toilet



Model : QEEPT - 4ST



## ADVANTAGES

Eco-Friendly Portable Toilet. The offered toilet finds wide application use in the trade fair. Furthermore, the toilet is Manufactured using quality material and approved technologies. In addition, the toilet is made available to the clients at marginal rates.

## Technical Data

Code	QEEPT / QEEPTSS
Seater	1,2,4 Seats or Customized.
Sheet Material	M.S., Galvanized Iron, Stainless Steel, FRP / PVC etc.
Thickness	1 mm, 1.6 mm, 2 mm, 2.5 mm, 3 mm or can be Customized as per requirement.
Sludge Tank Cap.	500 ltrs. or can be Customized as per requirement.
Water Tank Cap.	100 ltrs. or can be Customized as per requirement.
Size	920 x 975 x 2130 mm or can be Customized as per requirement.
Arrangement	Provision for Both Men & Women with fully furnished Public service at fairs.
Facilities	Proper Ventilation, Exhaust Fans, Superior Finishing with facilities like Mirror, Soap Tray Shampoo, Towel, Rod Washbasin, Handle with Locks etc.



# MOBILE TOILET BIO

- We Are Manufacturing A Wide Range Of Fully Furnished Mobile Toilets & Bio Toilets as per DRDO Norms That Are Used To Providing The Public Facilities At Mega Fairs, Public Festivals, Exhibitions & Municipalities Use Etc.
- We are Being Manufactured With High Quality Materials, Reliability, Superior Finishing & Utilization For It Send Use.

**Model : QEEMT - 4STPPGI**



**Model : QEEMT - 6STGI**



**Model : QEEMU - 4ST**



**Model : QEEMU - 10STFRP**



## ADVANTAGES

### Features:

- Precisely designed
- Enhanced durability
- Fine finish

### Usage:

- Outdoor Event
- Public Area
- Construction Area

Eco-Friendly Mobile Toilet Van. The offered toilet finds wide application use in the trade fair. Furthermore, the toilet van is manufactured using quality material and approved technologies. In addition, the toilet van is made available to the clients at marginal rates.

Code	QEEMT / QEEMU
Seater	4, 6, 8, 10 Seat or Customized.
Sheet Material	M.S. Galvanized Iron, Stainless Steel, FRP Etc.
Thick Ness	1 mm, 1.6 mm, 2 mm, 2.5 mm, 3 mm or can be Customized as per requirement.
Sludge Tank Cap.	750 litres. or can be Customized as per requirement.
Water Cap.	500 litres. or can be Customized as per requirement.
Over all Size	19.5x8x10 feet or Depend on Requirement
Cabin Size	915 x 900 x 1830 mm or can be Customized as per requirement.
Arrangement	Provision for Both Men & Women with fully furnished Public service at fairs.
Facilities	Proper Ventilation, Exhaust Fans, Superior Finishing with facilities like Mirror, Soap, Tray Towel, Rod, Washbasin, Handle with Locks etc.

## Technical Data

# WATER TANKER

We are manufacturer & supplier of premium quality SS / MS Water Storage Tank. Latest production techniques, use of excellent raw material combined with innovative styling & designing has made this product reach the pinnacle where it is today. Our 500 upto 10000 Liters SS and MS Water Storage Tank comes with a modern design making it efficient and maintenance free for a long time. It maintains temperature of ground & supply water and does not emit any foul smell even after long use.

Model : QEEWT - 3LT



Model : QEEWT - 4LT



Model : QEEWTSS - 3LT



Model : QEEWTSS - 4LT



## ADVANTAGES

- 100% Hygienic
- Non Toxic
- No Rust
- No Smell
- International Technology
- Elegant in look
- Easy to clean
- Cold water in summer
- Normal water in winter
- Prevents growth of Allergy & Fungus
- Works of year & years

## Technical Data

Code	QEEWT
Chassis	Tractor Trailer mounted or Customized.
Body Size	Elliptical Shape etc.
Sheet Material	Mild Steel Sheets IS 2062 Grade - A / Stainless Steel etc.
Thickness	2.5 mm, 3 mm, 5 mm or can be Customized as per requirement.
Valuematic Cap.	500 upto 10000 or can be Customized.
Axle & Wheels	Heavy Duty Rigid Axle with 1 Nos. of 2 nos.
Water Tab	04 nos.
Drain Valve	01 nos.
Driver Type	Tractor Chassis



# FOGGING MACHINE

**Quality**  
ENVIRO ENGINEERS (P) LTD.

## Technical Data

Leading Trader and Supplier of Fogging Machine such as Handy Fogging Machine, Vehicle Mounted Fogging Machine and Portable Fogging Machine

Fuel Consumption Petrol	: 3.3 Lit. /hour
Diesel Consumption	: 85 Lit. / Hour
Application Rate	: 25 To 40 Lit. / Hour
Weight	: 45 Kg (empty).
Mounted	: 3 Wheeler / Tata Ace / Tractor Trolley
Operating Power	: Chassis / Tractor Battery

## Usage

Used for sanitation and epidemic prevention in House, Garden, Hospital, Restaurant, Hotel and other public places.

## Features

1. Work wide area with short times and you can mount the machine on the chassis.
2. Control the machine with the remote controller in the driver's cabin.
3. Save the cost of labour because only one person can operate the machine.
4. This machine covers 6600 square meters with one time spray with 100 liters chemical.



**E-RICKSHAW  
INSTALLATION  
FOGGING MACHINE**



**QEEFOG - 4000NK**



**QEEFOG - 2000N**



**QEEFOG - 2000NK**



**K - 10 SP**



**QEEFOG - 2000NK-M**

# DUSTBIN

As one of the leading entity of this domain, we are engrossed in providing supreme quality Dust Bin. The offered bin finds wide application use in hotels, offices, restaurants, malls, parks and other similar places for keeping the environment neat and clean. This bin is manufactured using quality materials and available in all different sizes to meet the requirements. Apart from this, clients can get the bin from us at reasonable rates.



Code : QEE DP BIN  
Capacity 250-6000 Ltr.



Code : QEE DP BIN  
Capacity 250-6000 Ltr.



Code : QEE RC BIN  
Capacity 500-1100 Ltr.



CODE : QEE DH BIN  
(Capacity 40-300 Ltr.)



CODE : QEE DH BIN  
(Capacity 40-300 Ltr.)



CODE : QEE DH BIN  
(Capacity 40-300 Ltr.)



CODE : QEE DH BIN  
(Capacity 40-300 Ltr.)



QEEPB-10-20L



QEEHB-20L



QEEHB-10LB



QEEHB-10LB



QEEHB-20LB



QEEHB-10L



QEEGB-40L



QEEGB-60L



QEEGB-100L



QEEGB-120L



CODE: QEELDPE  
(Capacity 65-1.1M<sup>3</sup>)



CODE : QEE TP  
(Capacity 350-800 Ltr.)



CODE : QEE CR  
(Capacity 200-800 Ltr.)





Code : QEE HD-80L



Code : QEE SB-10L



Code : QEE SB-60L



Code : QEE SB-100L



Code : QEE SB-40L



Code : QEE 40L



Code : QEE SS-10L



Code : QEE SS-20L



Code : QEE SS-20LP



Code : QEE SS-40L



Code : QEE SS-40LS



Code : QEE SS-40LD



Code : QEE SS-40LP



Code : QEE SS-10LP



Code : QEE SS-20LP



Code : QEE SS-20LP



Code : SS BIN

## Quality & Commitment

We have been able to achieve optimum client satisfaction by offering qualitative range of product. in order to attain complete satisfaction of our widespread customer base, we provide them the customized products as per their application requirements. We implement strict quality control procedures to ensure that these products are highly reliable and are designed exactly as per the international standards. Also, by following transparent, fair and ethical business processes, we have managed to retain the trust of our clients in us.



## Affiliations

The unit registered under single point registration scheme of nsic are eligible to get the benefits under “public procurement policy for micro & small enterprises (msec) order 2012” as notified by the government of india, ministry of micro small & medium enterprises, new delhi vide gazette notification dated 23.03.2012.

## Certification






# Our Production Workshop

**Quality**  
enviro engineers pvt. ltd.



## Our Sales & Service Network In India...



**Quality**<sup>®</sup>  
ENVIRO ENGINEERS (P) LTD.

An ISO 9001 : 2015 Certified Company  
Manufacturer of : Solid, Liquid Waste Handling Equipments



**Corp. Off.** : Plot No. S-2, Dada Market, Sahibabad Railway Station,  
Road Sahibabad Ghaziabad-201005 (U.P.)  
**Factory** : Plot No. 49/36, Site -IV, Industrial Area Sahibabad ,  
Ghaziabad-201010 (U.P.)  
**Phone** : +91- 8808088807, 9212288807  
**E-mail** : [query@qualityenviroengineers.com](mailto:query@qualityenviroengineers.com),  
[qualityenviroengineersald@gmail.com](mailto:qualityenviroengineersald@gmail.com)  
**Website** : [www.qualityenviroengineers.in](http://www.qualityenviroengineers.in)

*Authorised Dealer...*